

Cordless Phones KX-TG9541

Features

- <u>2-LINE WITH LINK-TO-CELL</u>
- 2-LINE ANSWERING SYSTEM
- POWER BACK-UP
- <u>CALL BLOCK</u>
- EASY TO USE

2-LINE + Link-to-Cell

With 2 landlines and Link-to-Cell via Bluetooth, 3-Line simultaneous communication is possible.

You can add up to 6 handsets on standby at the same time as well as register up to 4 cell phones.

Specs



Link2Cell Connect up to 4 Cell Phones Transfer Cell Phone Contacts via Linked Cell Phone to Home Phone Advanced Answering System with Message Forwarding



- Telephones & Home Monitoring Cordless Phones
- •

Cordless Phones KX-TG9541

General	Colour	Black
	Handset (Quantity)	1
	Frequency	1.9 GHz
	Frequency Range	1.92 GHz - 1.93 GHz
	Number of Channels	60 Channels
	System	DECT6.0
	Number of Phone Lines	2.0
	Multiple Handsets Capability	Up to 6 Handsets
	Multiple Base Units Capability	-
	LCD Language	English, French
	Intelligent Eco Mode	Y
Link-to-Cell		Y
Mobile Registrat	ion Number	4.0
Ring as Cell Mod		Y
8		- Your cellular phone must support
		Bluetooth in-band ringtone when receiving
		a call to cellular phone.
Text Message Al	ert	Y
USB Charging		Y
Convenience	Key Detector Compatible	Y
	Multiple Key Detector Capability	(Up to 4 Key Detectors)
	Range Extender Available	Y
	Range Boost	Y
	Noise Reduction	Y
	Customized Sound System	Treble / Bass
	(Equalizer)	
	Power Back-Up Operation	Y
		(The base unit gets temporary power supply from 2 AAA batteries in the case of a power outage.)
	Any Key Answer	Y
	Night Mode	Y
	Conference Call with Outside	Y
	Line	3 Way
		(Optional handset may be required
		depending on the model.)
	Barge In (Call Share)	Y
		(Optional handset may be required
		depending on the model.)
	Intercom (Handset to Base Unit)	Y

	Intercom (Handset to Handset)	Y (Optional handset may be required depending on the model.)
	Clock	Y
	Calendar/Scheduler	-
	Advanced Alarm (A day of the week / Snooze)	-
	Alarm (Wake-up / Memo alarm)	Y / -
	Bluetooth® Headset Capability (HSP Support)	Y
Caller ID/ Phonebook	Caller ID	Y (Requires subscription to name-and-Number Caller ID, Call Waiting and/or Voice Mail service.)
	Caller ID Memory	50 items (Requires subscription to name-and-Number Caller ID, Call Waiting and/or Voice Mail service.)
	Call Waiting Caller ID	Y (Requires subscription to name-and-Number Caller ID, Call Waiting and/or Voice Mail service.)
	Category Ringer / Ringer ID	Y - Requires subscription to name-and- Number Caller ID, Call Waiting and/or Voice Mail service. - Requires registration in Phonebook function.
	Talking Caller ID (Handset)	Y - Requires subscription to name-and- Number Caller ID, Call Waiting and/or Voice Mail service. - Requires registration in Phonebook function. - Name pronunciation may vary.
	Talking Caller ID (Base Unit)	Y - Requires subscription to name-and- Number Caller ID, Call Waiting and/or Voice Mail service. - Requires registration in Phonebook function. - Name pronunciation may vary.
	Talking Caller ID Language	English, French (Requires subscription to Caller ID service

		offered by your telephone company.)
	Call Block	Y (250 numbers)
		- Requires subscription to name-and-
		Number Caller ID, Call Waiting and/or
		Voice Mail service.
		- Requires number registration in the call block list.
	Voice Mail	Y
	voice ivian	(Requires subscription to name-and-Numbe Caller ID, Call Waiting and/or Voice Mail service.)
	Voice Mail Alert (Light-Up Indicator on Handset)	-
	Phonebook Memory	3000 items
	(Name/Number)	(16 characters / 24 digits)
	Phonebook Copy from	Y
	Cellular Phone via Bluetooth	
	Speed Dial (Handset)	Y
	Speed Dial (Base Unit)	Y
	Chain Dial	Y (Base Unit / Handset)
Handset	LCD	1.8 inch Full dot
		Monochrome
		103 x 65 pixels
	LCD Backlight Color	White
	Lighted Handset Keypad	Amber
	Speakerphone (Volume Steps)	Y (6-steps)
	Ringer Pattern (Tone+Melody)	PSTN:15 (5 + 10)
	Lunger Lautern (Lone Hitelody)	CELL:15 $(5 + 10)$ + Inband Tone
	Ringer Volume Steps	6 + OFF
	Receiver Volume Steps	4
	Redial Memory	5 (Name & Number)
		(It requires registration in the phonebook to display the name.)
	Ringer/ Charge Indicator (Color)	-
	Hold	Y
	Music on Hold	Y
	Mute	Y
	Flash	Y
	Headset Jack	Y
	Reversible Handset Charging	_
	Rubber Grip	-
	Wall Mountable (Charger)	Y

	Corded Handset (Power	-
	Outage Operation)	
	Display	3.4 inch
		Monochrome
		103 x 65 pixels
		3line+Softkey+Pict
	Speakerphone (Volume Steps)	Y (8-steps)
	Ringer Pattern (Tone+Melody)	PSTN: 2 (2 + 0) CELL: 1 (1 + 0) + Inband Tone
	Ringer Volume Steps	6 + OFF
	Redial Memory	10 (Name & Number) (It requires registration in the phonebook to display the name.)
	Hold	Y
	Music on Hold	Y
	Mute	Y
	Flash	Y
	Handset Locator	Y
	Headset Jack	Y
	Wall Mountable	Y
Answering	Answering System	Y
System	Total Recording Time	About 60 min
	2-Line Answering System Operation	Y
	Optional greeting message for each line	Y
	Programmable greeting message by time setting	Y
	Audible Message Alert	Y (Base Unit)
	Message Alert (Light-Up Indicator on Handset)	-
	New Message Notification by a Call	Y
	Announcement Language of New Message Notification	English, French
	Recording Conversation	-
	Speaker Volume (Base Unit Speaker)	8 + OFF
	Call screening (Handset)	Y
	Call screening (Base Unit)	Y
	Language of Pre-recorded Greeting Message	English, French
	Remote Operation from Handset	Y

	Remote Operation from	Y
	Outside (DTMF)	
	Toll Saver (New Messages	2/5
	Recorded / No New Message)	
Accessories	Key Detector Included	-
	(Quantity)	
	Range Extender Included	-
	Belt Clip Included	Y
Optional	Optional Handset	Y (KX-TGA950)
Handset	-	
Others	Rechargeable Battery	Ni-MH (AAA x2)
	Talk Time	Up to 15 hours
	Standby Time	Up to 7 days
	Charge Time	About 7 hours
Power	Standby Power Consumption	1.2 W
Consumption	, 1	
Dimensions /	Base Unit Dimensions (H x W	Approx. 129 x 224 x 125 mm
Weight	x D)	
	Handset Dimensions (H x W x	Approx. 168 x 48 x 31 mm
	D)	
	Charger Dimensions (H x W x	Approx. 39 x 72 x 73 mm
	D)	
	Key Detector Dimensions (H x	-
	W x D)	
	Range Extender Dimensions	-
	(H x W x D)	
	Base Unit Weight	Approx. 600 g
	Handset Weight with Battery	Approx. 134 g
	Charger Weight	Approx. 101 g
	Key Detector Weight	-
	Range Extender Weight	_